From: Mitchell, Tanya
To: Walls (Young), Suzy
Subject: RE: Soil Sample Relocation

Date: Wednesday, January 14, 2015 7:34:31 AM

Suzy,

Just so that we are on the same page, revised FCR-02 submitted on 12/22/14 was approved for relocation of soil samples SS-137 and SS-138 collected on 1/2/2015. Instruction on how to document this change was provided in email on Monday, January 05, 2015 1:40 PM. Thus, no other revisions to the FCR-02 form are approved or should be added to the record.

Thank you for the clarification.

Tanya

From: Walls (Young), Suzy [mailto:Suzy.Walls@arcadis-us.com]

Sent: Tuesday, January 13, 2015 4:47 PM

To: Mitchell, Tanya

Subject: RE: Soil Sample Relocation

Tanya,

I'm Sorry, I thought you were asking for us to document the change in the log book (which we have done) and to amend the FCN with the change as well. If you are not requiring a revised FCN, please disregard my previous email.

I apologize for the confusion.

Thanks, Suzy

From: Mitchell, Tanya [mailto:Mitchell.Tanya@epa.gov]

Sent: Tuesday, January 13, 2015 2:42 PM

To: Walls (Young), Suzy

Subject: RE: Soil Sample Relocation

Suzy,

The relocation of soil samples SS-137 and SS-138 were previously approved and were to be documented in the field log book along with the GPS locations as an amended change to FCR-02 per email dated 1/5/15. The FCR-02 was not to be modified for these samples. Please provide additional clarification for this recent email.

Regards, Tanya

From: Walls (Young), Suzy [mailto:Suzy.Walls@arcadis-us.com]

Sent: Tuesday, January 13, 2015 2:07 PM

To: Mitchell, Tanya

Subject: RE: Soil Sample Relocation

Tanya – I have attached the revised FCN-02 for your records. The GPS locations have been changed for SS-137 and SS-138 (see revised figure 3B), the distance each sample was moved was updated in Table 1, and the section "Reason for Derivation" was updated as you requested below.

Please let me know if you have any questions or comments.

Thanks, Suzy

From: Mitchell, Tanya [mailto:Mitchell.Tanya@epa.gov]

Sent: Monday, January 05, 2015 1:40 PM

To: Walls (Young), Suzy

Subject: FW: Soil Sample Relocation

Suzy,

Please document the relocation of samples SS-137 and SS-138 in the field log book along with the GPS locations as an amended change to FCR-02. Also, note that the relocation was due to debris and glass on the ground surface.

Regards, Tanya

From: Mitchell, Tanya

Sent: Monday, January 05, 2015 12:04 PM

To: 'Walls (Young), Suzy'

Subject: RE: Soil Sample Relocation

Suzy,

The relocation of samples SS-137 and SS-138 due to debris is approved. These samples may be analyzed per the SAP.

I will get back to you on how to document this change.

Regards, Tanya

From: Walls (Young), Suzy [mailto:Suzy.Walls@arcadis-us.com]

Sent: Monday, January 05, 2015 11:09 AM

To: Mitchell, Tanya

Cc: Gutherz, Andrew; Persico, John **Subject:** Soil Sample Relocation

Importance: High

Tanya,

On Friday (January 2, 2015) at one of the last soil locations (SS-137), the field crew observed glass on the ground surface at the proposed location. The crew moved 10 feet until they did not observed any trash and then collected SS-137 and SS-138, 25 feet and 50 feet from this point. We sent these samples to the laboratory but have placed them on hold until we have your approval for analysis. If you would prefer for us to revised FCN-02 with this information, we can do that and resubmit today. After we have your approval, we can go out to those locations and recollect the samples. Given that the schedule has already been delayed and recollecting these samples would increase that delay, we would prefer not to repeat the sampling. However, we will do so if necessary. Please let me know how you would like us to proceed.

Thanks.

Suzy

Suzy Walls | Project Scientist / Ecologist | <u>suzy.walls@arcadis-us.com</u> ARCADIS U.S., Inc. | 114 Lovell Road, Suite 202 | Knoxville, TN, 37934 T. 865.777.3502 | M. 919.455.5413 | F. 865.675.6712

www.arcadis-us.com

ARCADIS, Imagine the result

Please consider the environment before printing this email.